



**MAX-OUT PLATINUM**  
ABSOLUTE RATED FILTERS


## The Cost Effective Approach to Quality Filtration

FTC introduces its new MAX-OUT PLATINUM Series, absolute rated filter cartridge.

This unique design, U.S. Patent No. 5824232, uses segregated flow channels and flow chambers to create 56 square feet of effective filter media surface area within the confines of a bag basket. Combining this design with the technique of pleating several different filter media together in a single pleat pack maximizes dirt holding capacity.

One MAX-OUT PLATINUM filter is designed to deliver 99.98% filtration efficiency while holding up to 8.5 pounds of contaminants. Available in a wide variety of filter media, this cartridge can be constructed with metal end caps and core for high temperature applications.


With a recommended flow rate of 25 GPM and 35 PSID, this MAX-OUT PLATINUM Series filter is the solution to achieving optimum performance while minimizing filtration costs.



## FILTRATION COST EFFICIENCY

### DIRT HOLDING CAPACITY

DATA FOR MAX-OUT PLATINUM SERIES  
POLYPROPYLENE MEDIA



### INCREASING FILTER LIFE

DOUBLING FILTER SURFACE AREA CAN INCREASE FILTER LIFE UP TO FOUR TIMES:

FILTER LIFE INCREASE =

$$\frac{Le}{Lo} = \left( \frac{Ae}{Ao} \right)^N$$

Le = Extended Filter Life  
Lo = Original Filter Life  
Ae = Expanded Filter Area  
Ao = Original Filter Area  
1 ≤ N ≤ 2

# FILTER EFFICIENCY


$$\text{Beta Ratio} = \frac{\text{Upstream Particle Count at Specified Size \& Larger}}{\text{Downstream Particle Count at Specified Size \& Larger}}$$

The Beta ratio ( $\beta$ ) at a given particle size can be correlated to the filter efficiency at that particle size according to the following formula:

$$\text{Filter Efficiency (\%)} = [(\beta - 1) / \beta] \times 100\%$$


Beta Ratio ( $\beta$ )	Filter Efficiency (%)
100	99.00
1000	99.90
5000	99.98

Each filter element will have a different Beta Ratio for every specified particle size. The determination of a variety of Beta values for the same filter provides a filter efficiency profile commonly referred to as a Beta Curve.



**FTC BETA CURVES**

# CARTRIDGE CODING



Notice: The information presented here is based on tests and data which FTC believes to be reliable, but their accuracy or completeness is not guaranteed. FTC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The determination of whether the FTC product is fit for a particular purpose or application is the responsibility of the user.



FORM MAX-OUT PLATINUM 06/08

Filtration Technology Corporation

5175 Ashley Court  
Houston, Texas 77041  
(713) 849-0849 • 888-436-0849 • FAX (713) 849-0202  
[www.ftc-houston.com](http://www.ftc-houston.com)